

○
○
○
○
○
○

EI /
L'EVOLUZIONE /
SINUOSA SYSTEM



L'EVOLUZIONE / SINUOSA Door



Glossy Laminate

Thickness 20 mm

Idro Verde wood chipboard panel class E1 low formaldehyde emission (high humidity resistance), surface coated in HPL postforming laminate. Not available for curved units.

Matt | Glossy lacquered

Thickness 22 mm

MDF Idro Verde panel class E1, low formaldehyde emission, painted with polyester base and polyurethane finish with spray application of four coats of paint crossing for each face of the panel.

The door edge is in the same finish. The glossy lacquering undergoes a further process of brushing with respect to the matt lacquering. The shininess of the finish is obtained by sanding the finish itself and polishing it with special abrasive pastes.

Wood

Thickness 20 mm


Idro Verde wood chipboard panel class E1 low formaldehyde emission, surface coated in glued wood veneer (high humidity resistance). Wood veneer edges coupled and supported 1.5 mm thickness gluing with heat bond glue.



Finiture / Finishings / Finitions

Laminato Lucido Prezzo fascia 2

Glossy Laminate Price Range 2 / Melamine Brillant Catégorie de Prix 2



Laccato Opaco Prezzo fascia 4 | Lucido Prezzo fascia 7

Matt Price Range 4 | Glossy Lacquered Price Range 7 / Laqué opaque Catégorie de Prix 4 | brillant Catégorie de Prix 7



Essenza Prezzo fascia 5

Wood Price Range 5 / Essence Catégorie de Prix 5



Il colore del campione è indicativo / The chrome colour bare to be considered indicative / The couleur de l'échantillon est indicatif